



VIDYA VAIBHAV SHIKSHAN MANDAL'S
DAPOLI HOMOEOPATHIC MEDICAL COLLEGE

At. Aпти, Po. Talsure, Tal. Dapoli, Dist. Ratnagiri, 415 712. (Maharashtra State)

PHONE

Cell : 7066893763, 9960193763
Email = dhmcdapoli@gmail.com
dhmcdapoli@rediffmail.com

RECOGNITION

• Dept. of AYUSH Govt. of India, New Delhi.
• National Commission for Homoeopathy, New Delhi.
• MEDD Govt. of Maharashtra, Mumbai.

AFFILIATION

• Maharashtra University of Health Sciences, Nashik.

Ref. No. :

Date :

SR. NO.	A – HOSPITAL DETAILS INFRASTRUCTURE	
1.	Name of Hospital : Dapoli Homoeopathic Medical College & Hospital	
2.	Registration Details with Renewal	Available Renewed upto
3.	Bed Strength – Ward Distribution – As per MSR and Intake Capacity	Done
4.	Hospital Administration as per Schedule (IA) <ul style="list-style-type: none">• Administration Block• OPD/IPD Details• Operation Theatre Unit• Yoga/Physiotherapy Rehabilitation Unit• Central Clinical Laboratory• Radiology and Sonography Section• Hospital Kitchen• Stores	60 sq. mt. 335 sq.mt. 65 sq. mt. 20 sq. mt. 20 sq. mt. 20 sq. mt. 05 sq. mt. 30 sq. mt.
5.	Ambulance Facility (Own/MOU)	Own. Attached
6.	Dispensing Unit	
7.	Hospital Equipment as per MSR – OPD/IPD	List Attached
8.	MOU with Super Specialty Hospital for Clinical Training of Student and its Functional	Attached
9.	First Aid KIT in OPD/IPD	Available
10.	BMW Certificate	Attached
11.	MPCB Certificate	Attached

(Dr. Mrs. C. S. Goriwale)

Principal

Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट, 1949 कलम 5 अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट
Certificate of Registratration under Section 5 of the Bombay Nursing homes
Registratration Act 1949
(नियम ५ अन्वये) (Under Rule 5)

क्रमांक ;

No. : 10030

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये डॉ. चेतना सुनिल गोरीवले, प्रिन्सिपल, दापोली होमिओपॅथीक मेडीकल कॉलेज हॉस्पिटल, मु.आपटी पो.टाळसुरे, दापोली, जि.रत्नागिरी येथील नर्सिंग होम रजिस्टर केले असून सदरचे नर्सिंग होम / मॉर्टनिटी होम चालविण्यास परवाना देण्यांत येत आहे.

This is to certify that Smt. Dr. CHETANA SUNIL GORIWALE, PRINCIPAL, DAPOLI HOMOEOPATHIC MEDICAL COLLEGE HOSPITAL. Has been registered under the Bombay Nursing Homes Registratration Act 1949 in respect of DAPOLI HOMOEOPATHIC MEDICAL COLLEGE HOSPITAL Situated at, AT. APATI, POST. TALSURE, TAL. DAPOLI, DIST. RATNAGIRI and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्रमांक	प्रसुतीसाठी	खाटा
Registratration No. : 59	Maternity	02 BEDS
रजिस्ट्रेशन दिनांक :	इतर रुग्णांसाठी	खाटा
Date of Registratration - 30 /11/2022	Other Nursing Patients	23 BEDS

ठिकाण Place - DAPOLI HOMOEOPATHIC MEDICAL COLLEGE HOSPITAL,
AT. APATI , POST TALSURE, TAL. DAPOLI, DIST- RATNAGIRI.

सर्टीफिकेट दिल्याचा दिनांक - ३०/११/२०२२

Date of Issue of Certificate - 30 /11/2022

सदरचे सर्टीफिकेट दिनांक ३१ मार्च २०२५. पर्यंत कार्यवाहीत राहिल.

This Certificate Shall be Valid upto 31 March, 2025.

DATE - 30 /11/2022
PLACE - RATNAGIRI.



APPK
DISTRICT HEALTH OFFICER
ZILLA PARISHAD RATNAGIRI.
District Health Officer
Zilla Parishad, Ratnagiri

Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Dapoli, Dist. Ratnagiri.



VIDYA VAIBHAV SHIKSHAN MANDAL'S
DAPOLI HOMOEOPATHIC MEDICAL COLLEGE

At. Apti, Po. Talsure, Tal. Dapoli, Dist. Ratnagiri, 415 712. (Maharashtra State)

PHONE

Cell : 7066893763, 9960193763
Email = dhmcdapoli@gmail.com
dhmcdapoli@rediffmail.com

RECOGNITION

- Dept. of AYUSH Govt. of India, New Delhi.
- National Commission for Homoeopathy, New Delhi.
- MEDD Govt. of Maharashtra, Mumbai.

AFFILIATION

- Maharashtra University of Health Sciences, Nashik.

Ref. No. :

Date :

DISTRIBUTION OF BEDS		
Sr. No.	Department	No. of Beds
1	General Medicine (50%) (Acute 10% and chronic 40%)	13 (3+10)
2	Paediatrics (10%)	2
3	Surgery (20%)	5
4	Obstetrics/Gynaecology (20%)	5
	Total	25

(Dr. Mrs. C. S. Goriwale)

Principal

Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri


Infrastructure Requirements Of Attached Hospital
(For Intake Capacity upto 60 students)

Sl No	Particulars	Built up area (in sq. mt.)		
		Required	Existing	Deficient
1.	Hospital Administration Block (a) Superintendent Room (b) Rooms for Senior Medical Officer (c) Staff Nurse (d) Reception & Registration	50	60	0
2.	Out – Patient Department (OPD) (i) Medicine (ii) Gynaecology and Obstetrics (iii) Paediatrics and Reproductive & Child Health (i) Dressing Room (ii) Dispensary (iii) Store	100	110	0
3.	In Patient Department (IPD) (i) General Medicine (Male and Female Ward Separately) (ii) Paediatrics (iii) Surgery (Male and Female Ward Separately) (iv) Obstetrics and Gynaecology (v) Toilets and Bathroom (Separate for Male and Female) (vi) Doctors Duty Room (vii) Nursing Stations/ Duty Room	325	225	100
4.	Operation Theatre Unit (a) Operation Theatre (b) Preparation Room (c) Post Operative Recovery Room (d) Space for Sterilised Linen (e) Labour Room (f) Rooms for Surgeon/ Obstetrician/ Assistants (g) Nursing Staff Room	100	65	35
5.	Rehabilitation Unit including Physiotherapy and Yoga	30	20	10
6.	Central Clinical Laboratory (a) Pathology and Microbiology (b) Bio-chemistry	30	20	10
7.	Radiology and Sonography Section X-ray Room, Dark Room, Provision for storing films and Chemicals	40	20	20
8.	Hospital Kitchen	18	05	13
9.	Stores	22	30	0
	Total	715	555	188

(Note : The said space requirement shall not be applicable for the colleges established prior to notification of HCC Regulation – 2013. However, it is mandatory to mention the actual available infrastructure.)


Dr. Mrs. Chetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

LAYOUT OF HOSPITAL, COLLEGE BUILDING



Owner's Sign
 Dr. Mrs. Chetana S. Goriwale
 PRINCIPAL
 Dapoli Homoeopathic Medical College
 A. N. D. P. Ratnagiri
 Ratnagiri

Architect's Sign
 Mr. S. S. Ghorpade
 ARCHITECT
 10, N. S. Road, Ratnagiri
 Ratnagiri

Actual Measure Drawing of Dapoli Homoeopathic
 Medical College & Hospital At Village - Apti,
 Tal. Dapoli, Dist. Ratnagiri.

Dr. Mrs. Chetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.



Regn. No. MH08W6700		MH16163447
Regd. Owner	THE PRINCIPAL DAPOLI HOMOEOPATHIC MEDICAL COLLEGE	
SGW of Purpose	HPT	
Regn. Date	06/04/2017	
Color	8 WHITE	
Fuel	DIESEL	
Vehicle Class	Ambulance - 19	
Body Type	AMBULANCE	
Manufacturer	FORCE MOTORS LIMITED, A PUNE	
Chassis No.	MC16ACCAHP04499	
Engine No.	D6337153	
Model No.	FORCE TRAVELLER	
Hypothecated To		
Manufacturing Dt.	03/2017	
Seated Capacity	010	
Stand. Capacity	00	
Tax Paid Up To	See Tax Rpt	
Regd. Validity	See F Cert	
Address	A/P APTI TALBURE TAL DAPOLI Ratnagiri MH 415712	
		
	DY RTO RATNAGRI Issuing Authority	 Signature of Issuing Authority

(Handwritten Signature)

Dr. Mrs. Chetana S. Gorwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - HOSPITAL (FOR 25 BEDS)

Sr. No.	Name of Equipment	Required	Available	Remark
1	Iron beds (Simple, Surgical & Paediatrics)	25	25	
2	Stretcher with trolley (each ward)	1 in each ward	1 in each ward	
3	Sterilizers	2	6	
4	B. P. instrument	5	5	
5	Urine pots, male and female	10	11	
6	Bed pans E.I.	10	13	
7	Tongue depressor	As Required	100	
8	Suction machine	1	2	
9	Suction tube	As Required	10	
10	Artery forceps small & big	6 each	32	
11	Back rest	2	2	
12	Oxygen cylinder with stand	1 in each ward	1 in each ward	
13	Dressing drums (big)	2	15	
14	Diagnostic Set (ENT)	1 in each ward	1 in each ward	
15	Infra red lamps	1	5	
16	Chair trolley with wheels	2	2	
17	Refrigerator	1	1	
18	Weighing Machine	2	3	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)

Principal

Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - OPERATION THEATRE

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Air Mattress System		1	
2	Autoclave Electric		2	
3	Autoclave Portable		1	
4	Bedpan Aluminium		2	
5	Bedpan S/S		2	
6	Dressing Box Aluminium		10	
7	Dressing Box S/S		1	
8	Dressing Drum Big		5	
9	Dressing Drum Medium		8	
10	Dressing Drum Round		2	
11	Dressing Drum Small		1	
12	Endotracheal Tube		2	
13	Foley's Catheter		25	
14	Fumigation Machine		1	
15	I. V. Stand		4	
16	Instrument Trolley		6	
17	Kidney Tray Plastic		1	
18	Kidney Tray S/S Big		4	
19	Kidney Tray S/S Small		3	
20	Nebuliser Adult		1	
21	Nebuliser Child		1	
22	Opearation Table		1	
23	Oxygen Cylinder Complete Set		1	
24	Oxygen Cylinder Trolley		3	
25	Rectangular Multipurpose Tray Plastic		2	
26	Rectangular Tray Aluminium with Lid		2	
27	Rectangular Tray Enamel with Lid		3	
28	Rectangular Tray Plastic		2	
29	Rectangular Tray S/S with Lid 10"		3	
30	Rectangular Tray S/S with Lid 8"		5	
31	Rectangular Tray S/S with Lid 9"		6	
32	Rubber Catheter Mix		24	
33	Ryles Tube		2	
34	Shadowless Lamp		3	
35	Sphygmanometer Dial		1	
36	Sphygmanometer Mercury		5	


 Dr. Mrs. Chetana S. Gorwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - OPERATION THEATRE

Sr. No.	Name of Equipment	Required	Available	Remark
37	Sphygnomanometer Stand		1	
38	Sterilizer		6	
39	Stool Metal Black		2	
40	Stool Revolving		2	
41	Stool Single Step		2	
42	Suction Machine Adult		1	
43	Suction Machine Bottle		2	
44	Suction Machine Paediatric		1	
45	Surgical Cautery 300 wats		1	
46	Surgical Drape Disposable		11	
47	Syringe Case 2 ml		6	
48	Syringe Case 5 ml		6	
49	Syringe Needle No. 22		12	
50	Syringe Needle No. 23		12	
51	Syringe Needle No. 24		12	
52	Syringes Glass 10 ml		4	
53	Syringes Glass 2 ml		2	
54	Syringes Glass 20 ml		3	
55	Syringes Glass 5 ml		10	
56	Tracheal Tube		7	
57	Urinebag Disposable		10	
58	Urinepot Plastic		1	
59	Urinepot S/S		1	

II.	<u>ANAESTHESIA INSTRUMENTS</u>	<u>A. R.</u>		
1	Airway Mental Size 1.2 A		3	
2	Corrugated Hose		1	
3	Endotracheal Tubes		9	
4	F/A Valve with Gauge & Flowmeter		1	
5	Foot Operated Suction Pump		1	
6	Humidifier with Hook		1	
7	Laryngoscope Set		1	
8	Magill's Forcep Adult		1	
9	Rubber Catheter		12	
10	Sanjivani Non-Rebreathing Valve Type E		1	
11	Sanjivani Paediatric Rususcitator		1 set	



Dr. Mrs. Chetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - OPERATION THEATRE

Sr. No.	Name of Equipment	Required	Available	Remark
12	Tracheal's Connector Set		1	
13	Tube Cleaning Brush		1	

III.	<u>SURGICAL INSTRUMENTS</u>	<u>A. R.</u>		
1	Allies Tissue Forcep 6"		12	
2	Allies Tissue Forcep 8"		4	
3	Allies Tussue Forcep Curved		1	
4	Artery Forcep Curved 5"		1	
5	Artery Forcep Curved 6"		12	
6	Artery Forcep Curved 8"		9	
7	Artery Forcep Straight 5"		3	
8	Artery Forcep Straight 6"		2	
9	Artery Forcep Straight 8"		6	
10	B. P. Handle No. 2		1	
11	B. P. Handle No. 4		8	
12	Babcock Tissue Forcep 6"		7	
13	Babcock Tissue Forcep 8"		4	
14	Cheatle Forcep Curved 6"		1	
15	Cheatle Forcep Curved 8"		2	
16	Cheatle Forcep Straight 8"		6	
17	Green Armytage Forcep		6	
18	Instrument Hanger Big		5	
19	Instrument Hanger Small		3	
20	Kocher's Straight Artery Forcep Medium		2	
21	Mayo's Towel Clip		4	
22	Needle Holder		6	
23	Plain Forcep 7"		21	
24	Plain Forcep 8"		3	
25	Plaster Scissor		1	
26	Proctoscope		1	
27	Retractor C Shaped Set o 3		2 set	
28	Retractor Czerny's - Large		2	
29	Retractor Deaver		1	
30	Retractor Morr's		1	
31	Retractor Right Angle		2	
32	Saw		1	
33	Sponge Holding Forcep		3	


Dr. Mrs. Chetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - OPERATION THEATRE

Sr. No.	Name of Equipment	Required	Available	Remark
34	Straight Scissor		28	
35	Tongue Depressor Curved		5	
36	Tongue Depressor Straight		10	
37	Tooth Forcep 7"		9	
38	Towel Clip Curved		11	
39	Towel Clip Straight		4	
40	Tragger Fork		2	
41	Tunning Fork		1	

<u>IV.</u>	<u>GYNAECOLOGY & OBSTETRICS INSTRUMENT</u>	<u>A. R.</u>		
1	Blunt Curette		1	
2	Cusco's Speculum		4	
3	Cutting Scissor		1	
4	Heggar's Dilator		1 set	
5	Ovum Forcep Large		1	
6	Ovum Forcep Medium		2	
7	Sim's Speculum		1 set	
	Suction Canula		3	
8	Uterine Sound		2	
9	Vaginal Retractor Large		1	
10	Vaginal Retractor Medium		1	
11	Vollsellum		4	

<u>V.</u>	<u>OPHTHALMIC INSTRUMENTS</u>	<u>A. R.</u>		
1	A/C Canula		5	
2	Air Injection Canula		5	
3	Artery Forcep		5	
4	B. P. Handle		5	
5	Barraquer Forcep		5	
6	Catspaw Lacrimal Retractor		5	
7	Congenital Forcep		5	
8	Corneal Scissor		5	
9	De-weckers Iris Scissor		5	
10	Fixation Forcep		5	
11	Iris Forcep		5	
12*	Iris Retractor		5	


 Dr. Mrs. Ohetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri,

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - OPERATION THEATRE

Sr. No.	Name of Equipment	Required	Available	Remark
13	Lacrimal Canula		5	
14	Lens Expressor		5	
15	Lid Retractor		5	
16	Mcperson Forcep		5	
17	Muscle Hook		5	
18	Plain Round Trying Forcep		5	
19	Vannas Scissor		5	
20	Wire Speculum		5	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)
Principal

Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - SUPERITENDENT OFFICE

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Office Table		2	
2	Office Chair		2	
3	Cution Chair		8	
4	Cupboard Small		1	
5	Wall Clock		1	
6	Photographs		6	
7	Ceiling Fan		2	
8	Tubelights		2	
9	Inverter with Battery		1	
10	Telephone		1	
11	Pl. Dust Bin		2	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)

Principal

Dapoli Homoeopathic Medical College
Ta: Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - RECEPTION & REGISTRATION OFFICE

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Office Table		1	
2	Office Chair		1	
3	Iron Chair		3	
4	Cupboard Big		1	
5	Computer Trolley		1	
6	Computer Desktop with Printer		1	
7	Ceiling Fan		1	
8	Tubelight		1	
9	Inverter with Battery		1	
10	Telephone		1	
11	Pl. Dust Bin		1	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - DISPENCING ROOM

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>MEDICINE :</u>	<u>A. R.</u>		
1	Various Homoeopathic Medicine		Available	
2	Globules of each size		Available	
3	Sugar of Milk		Available	
4	Pl. Dram Bottles of various size.		Available	
II.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Office Table		1	
2	Office Chair		1	
3	Iron Chair		3	
4	Medicine Counter		2	
5	Ceiling Fan		2	
6	Tubelight		2	
7	Pl. Dust Bin		1	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)
Principal

Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - MEDICINE O.P.D.

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Examination Table		1	
2	Single Step Stool		1	
3	Instrument Trolley		1	
4	Bedside Table		1	
5	X-Ray Viewing Box		1	
6	Weighing Machine		1	
7	Sphygmomanometer		1	
8	Stethoscope		1	
9	Tongue Depressor		1	
10	Thermometer		1	
11	Hammer		1	
12	S/S Cheatle Forcep		1	
13	S/S Dressing Drum Small		1	
14	S/S Rectangular Tray		1	
15	Pl. Multipurpose Tray		1	
16	S/S Kidney Tray		1	
17	Other Material		Available	

II.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Pl. Curtains		3	
5	Mirror		1	
6	Ceiling Fan		1	
7	Tubelight		1	
8	Pl. Dust Bin		2	

Date 30/11/2023



(Dr. Mrs. C. S. Goriwale)

Principal

Dapoli Homoeopathic Medical College
Talsure, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - PAEDIATRIC & SURGERY O.P.D.

Sr. No.	Name of Equipment	Required	Available	Remark
<u>I.</u>	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Examination Table		1	
2	Single Step Stool		1	
3	Instrument Trolley		1	
4	Weighing Machine		1	
5	Sphygmomanometer		1	
6	Stethoscope		1	
7	Tongue Depressor		1	
8	Thermometer		1	
9	S/S Cheatle Forcep		1	
10	S/S Plain Forcep,		1	
11	S/S Scissor		1	
12	S/S Dressing Drum Small		1	
13	S/S Rectangular Tray		1	
14	S/S Kidney Tray		1	

<u>II.</u>	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Pl. Curtains		3	
5	Mirror		1	
6	Ceiling Fan		1	
7	Tubelight		1	
8	Pl. Dust Bin		2	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - GYANECOLOGY & OBSTETRIC O.P.D.

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Examination Table		1	
2	Single Step Stool		1	
3	Instrument Trolley		1	
4	Bowl Trolley		1	
5	Weighing Machine		1	
6	Sphygnomanometer		1	
7	Stethosope		1	
8	Tongue Depressor		1	
9	Thermometer		1	
10	S/S Cheatle Forcep		1	
11	S/S Plain Forcep		1	
12	S/S Scissor		1	
13	S/S Dressing Drum Small		1	
14	S/S Rectangular Tray		1	
15	S/S Kidney Tray		1	
16	Examing Instrumets, Material Medicines		Available	

II.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Pl. Curtains		3	
5	Mirror		1	
6	Ceiling Fan		1	
7	Tubelight		1	
8	Pl. Dust Bin		2	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - OPHTHALMIC O.P.D.

Sr. No.	Name of Equipment	Required	Available	Remark
<u>I.</u>	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Examination Table		1	
2	Single Step Stool		1	
3	B & H Senior Trial Case		1	
4	Adjustable Trial Frame with Mirror		1	
5	B & H Large Cabinet Roller Drum		1	
6	Auto Refractometer		1	
7	Ophthalmoscope		1	
8	Torch		1	
<u>II.</u>	<u>CHARTS</u>	<u>A. R.</u>		
1	Various Ophthalmic Charts		20	
<u>III.</u>	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Iron Stool		2	
5	Ceiling Fan		2	
6	Tubelight		2	
7	Pl. Dust Bin		1	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)

Principal

Dapoli Homoeopathic Medical College

Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - E. N. T. O. P. D.

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Auroscope Set		1	
2	Nasal Speculum		1	
3	Negus Knot Tier		2	
4	Snare		1	
5	Tongue Depressor		1	
6	Tonsil Holding Forcep		1	
7	Tonsil Negus Artery Forcep		1	
8	Wire		1 set	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)

Principal


Dapoli Homoeopathic Medical College
Ta. Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - DENTAL O. P. D.

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Amalgam Carrier		1	
2	Elevator		3	
3	Mirror with Handle		2	
4	RT/EF Elevator		1	
5	Sealer DE		4	
6	Sealer SE		2	
7	Spatula		2	
8	Tooth Forcep		10	
9	Tweezer		2	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - DRESSING ROOM

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Examination Table		1	
2	Single Step Stool		1	
3	Instrument Trolley		1	
4	S/S Cheatle Forcep		1	
5	S/S Plain Forcep		1	
6	S/S Scissor		1	
7	S/S Dressing Drum Small		1	
8	S/S Rectangular Tray		1	
9	S/S Kidney Tray,		1	
10	Dressing Instruments, Material & Medicines		Available	

II.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Pl. Curtains		3	
5	Mirror		1	
6	Ceiling Fan		1	
7	Tubelight		1	
8	Pl. Dust Bin		2	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - X-RAY UNIT

Sr. No.	Name of Equipment	Required	Available	Remark
<u>I.</u>	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	X-Ray Machine 60/100 KV		1	
2	Hanger		8	
3	Developer Fixer & Water Tank		3	
4	Lead Apron		1	
5	X-Ray Cassette		2	
6	X-Ray Film		3 box	
7	Fixer & Developer Powder		Available	
8	Revolving Stool		1	
<u>II.</u>	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Cupboard		1	
4	Ceiling Fan		1	
5	Tubelight		1	
6	Pl. Dust Bin		1	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Ta: Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - CLINICAL PATHOLOGY

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Auto Analyser		1	
2	Calorimeter		1	
3	Centrifuse Machine		1	
4	Examination Table		1	
5	Hot Air Oven		1	
6	Incubator		1	
7	Microscope Binocular		1	
8	Microscope Medical		2	
9	Refrigerator		1	
10	Single Step Stool		1	
11	Stabilizer		1	
12	Sterilizer		1	
13	Waterbath		3	
14	Anticoagulated Bulb		100	
15	Beaker Glass 500 ml		1	
16	Beaker Glass 250 ml		2	
17	Beaker Glass 150 ml		1	
18	Beaker Glass 100 ml		1	
19	Blood Collecting Needle		1	
20	Capillary Tube		2 box	
21	Centrifuse Tube Glass		3	
22	Centrifuse Tube Plastic		13	
23	Cheatle Forcep		4	
24	ESR - Westergren's Tube		20	
25	ESR - Westergren's Stand		2	
26	ESR - Wintrobe's Stand		2	
27	ESR - Wintrobe's Tube		3	
28	Folin's Test Tube		5	
29	Funnel Plastic Big		2	
30	Funnel Plastic Small		3	
31	Glass Conical Glass 250 ml		1	
32	Haemocytometer - RBC Pipette		4	
33	Haemocytometer - WBC Pipette		3	
34	Haemocytometer Set		3	
35	Haemoglobinometer Pipette		18	
36	Haemoglobinometer Set		2	
37	Haemoglobinometer Tube		3	
38	Hemoglobinometer Comparator Holder		1	
39	Lancet		1 box	


Dr. Mrs. Chetana S. Gorwal
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - CLINICAL PATHOLOGY


Sr. No.	Name of Equipment	Required	Available	Remark
40	Loop Holder		2	
41	Microscopic Coveslip		4 box	
42	Microscopic Slide		8 box	
43	Petridish Glass Large		3	
44	Petridish Glass Small		12	
45	Pipette Glass 10 ml		2	
46	Pipette Glass 5 ml		1	
47	Pipette Glass 2 ml		6	
48	Pipette Glass 1 ml		5	
49	Pipette Glass 0.5 ml		1	
50	Pipette Glass 0.2 ml		1	
51	Pipette Glass 0.1 ml		3	
52	Pregnancy Slide		2	
53	Slide Cabinet		3	
54	Spirit Lamp		4	
55	Sputum Collection Bottles		28	
56	Sterilised Bottle		200	
57	Syringe Case		3	
58	Test Tube Glass Big		15	
59	Test Tube Glass Medium		30	
60	Test Tube Holder Wooden		21	
61	Test Tube Stand Plastic		12	
62	Test Tube Washing Brush		20	
63	Tourniquet Band		2	
64	Urinometer		1	
65	VDRL Slide		2	
66	VDRL Test Tube Glass		70	
67	VDRL Test Tube Plastic		125	
68	VDRL Test Tube Stand		1	
69	WIDAL Slide		1	
70	WIDAL Test Tube Stand		3	
71	Biochemical Kits		Available	
72	Chemical & Reagents		Available	


Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - CLINICAL PATHOLOGY

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Auto Analyser		1	
2	Calorimeter		1	
3	Centrifuse Machine		1	
4	Examination Table		1	
5	Hot Air Oven		1	
6	Incubator		1	
7	Microscope Binocular		1	
8	Microscope Medical		2	
9	Refrigerator		1	
10	Single Step Stool		1	
11	Stabilizer		1	
12	Sterilizer		1	
13	Waterbath		3	
14	Anticoagulated Bulb		100	
15	Beaker Glass 500 ml		1	
16	Beaker Glass 250 ml		2	
17	Beaker Glass 150 ml		1	
18	Beaker Glass 100 ml		1	
19	Blood Collecting Needle		1	
20	Capillary Tube		2 box	
21	Centrifuse Tube Glass		3	
22	Centrifuse Tube Plastic		13	
23	Cheatle Forcep		4	
24	ESR - Westergren's Tube		20	
25	ESR - Westergren's Stand		2	
26	ESR - Wintrobe's Stand		2	
27	ESR - Wintrobe's Tube		3	
28	Folin's Test Tube		5	
29	Funnel Plastic Big		2	
30	Funnel Plastic Small		3	
31	Glass Conical Glass 250 ml		1	
32	Haemocytometer - RBC Pipette		4	
33	Haemocytometer - WBC Pipette		3	
34	Haemocytometer Set		3	
35*	Haemoglobinometer Pipette		18	
36	Haemoglobinometer Set		2	
37	Haemoglobinometer Tube		3	
38	Hemoglobinometer Comparator Holder		1	
39	Lancet		1 box	


Dr. Mrs. Chetana S. Goriwade
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
 At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - CLINICAL PATHOLOGY

Sr. No.	Name of Equipment	Required	Available	Remark
40	Loop Holder		2	
41	Microscopic Coveslip		4 box	
42	Microscopic Slide		8 box	
43	Petridish Glass Large		3	
44	Petridish Glass Small		12	
45	Pipette Glass 10 ml		2	
46	Pipette Glass 5 ml		1	
47	Pipette Glass 2 ml		6	
48	Pipette Glass 1 ml		5	
49	Pipette Glass 0.5 ml		1	
50	Pipette Glass 0.2 ml		1	
51	Pipette Glass 0.1 ml		3	
52	Pregnancy Slide		2	
53	Slide Cabinet		3	
54	Spirit Lamp		4	
55	Sputum Collection Bottles		28	
56	Sterilised Bottle		200	
57	Syringe Case		3	
58	Test Tube Glass Big		15	
59	Test Tube Glass Medium		30	
60	Test Tube Holder Wooden		21	
61	Test Tube Stand Plastic		12	
62	Test Tube Washing Brush		20	
63	Tourniquet Band		2	
64	Urinometer		1	
65	VDRL Slide		2	
66	VDRL Test Tube Glass		70	
67	VDRL Test Tube Plastic		125	
68	VDRL Test Tube Stand		1	
69	WIDAL Slide		1	
70	WIDAL Test Tube Stand		3	
71	Biochemical Kits		Available	
72	Chemical & Reagents		Available	


Dr. Mrs. Chetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - CLINICAL PATHOLOGY

Sr. No.	Name of Equipment	Required	Available	Remark
III.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Cupboard Wooden		3	
5	Ceiling Fan		1	
6	Tubelight		1	
7	Pl. Dust Bin		1	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Ta. Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - PHYSIOTHERAPY UNIT

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Physio Temp SWD 500 wats		1	
2	Cervical Collar Various Size		14	
3	CPM Unit		1	
4	Electric Grip		1	
5	Electric Massager		1	
6	Exercise Cycle		1	
7	Muscle Stimulator Table Model		1	
8	Philips U. V. Lamp		2	
9	Strider Wheel		1	
10	Traction Set - Cervical		1	
11	Traction Set - Lumber		1	
12	Traction Table		1	
13	Ultrasonic Therapy Unit		1	
14	Wax Bath		1	

III.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Chair		3	
4	Cupboard		1	
5	Iron Bed		1	
6	Ceiling Fan		2	
7	Tubelight		2	
8	Pl. Dust Bin		1	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - LABOUR ROOM

Sr. No.	Name of Equipment	Required	Available	Remark
<u>I.</u>	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Obst. Labour Table		1	
2	Single Step Stool		1	
3	I. V. Stand		1	
4	Instrument Trolley		2	
5	Revolving Stool		1	
6	Sterilizer		1	
7	Baby Weighting Machine		1	
8	S/S Artery Forcep		1	
9	S/S Bowl		1	
10	S/S Ephiotomy Scissor		1	
11	S/S Pelvimeter		1	
12	S/S Rectangular Tray		2	
13	S/S Straight Scissor		1	
14	Foetoscope		1	
15	Wrigley's Outlet Forcep		1	
16	Suction Pump		1	
17	Bed Pan		1	
18	Enema Can		1	
19	Plastic Apron		1	
20	Other Essential Material		Available	
<u>II.</u>	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Ceiling Fan		1	
2	Tubelight		2	
3	Pl. Dust Bin		2	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - I. C. U. UNIT

Sr. No.	Name of Equipment	Required	Available	Remark
I.	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	BPL Monitor		2	
2	BPL 108 ECG Machine		2	
3	ECG Lubricating Jelly		3	
4	ECG Rolls		3	
5	Oxygen Cylinder Set		1	
6	I. V. Stand		1	
II.	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Iron Bed with Mattress Set		1	
4	Ceiling Fan		1	
5	Tubelight		1	
6	Pl. Dust Bin		1	

Date : 30/11/2023



(Dr. Mrs. C. S. Goriwale)
Principal

Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Aпти, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - I. P. D. MALE WARD
(INCL. DOCTOR'S & NURSE DUTY ROOM)

Sr. No.	Name of Equipment	Required	Available	Remark
<u>I.</u>	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Fowler Bed		1	
2	Iron Bed with Backrest		15	
3	Bedside Locker		16	
4	S/S Bedside Stool		16	
5	S/S I. V. Stand		5	
6	Bedside Screen 3 Fold		1	
7	Chair Trolley with Wheels		1	
8	Instrument Trolley with Bowl & Bucket		1	
9	Revolving Stool		1	
10	Stretcher on Trolley		1	
11	Mattress with Bedcovers		16	
12	Pillow with Pillow Covers		16	
13	Bedsheet		16	
14	Woolen Blankets		2	
15	Hot Water Bag		1	
16	Ice Bag		1	
17	Pl. Bedpans		4	
18	S/S Bedpan		1	
19	S/S Kidney Tray Big		2	
20	S/S Sputum Cup		2	
21	Pl. Urine Pots		5	
<u>II.</u>	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Nurse's Table		1	
4	Nurse's Chair		1	
5	Cupboard Medium		1	
6	Ceiling Fan		9	
7	Tubelight		10	
8	Pl. Dust Bin		2	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tali Dapoli, Dist. Ratnagiri

Vidya Vaibhav Shikshan Mandal's
Dapoli Homoeopathic Medical College & Hospital
At. Apti, Po. Talsure, Ta. Dapoli, Dist. Ratnagiri

DEPT - I. P. D. FEMALE WARD
(INCL. DOCTOR'S & NURSE DUTY ROOM)

Sr. No.	Name of Equipment	Required	Available	Remark
<u>I.</u>	<u>EQUIPMENT :</u>	<u>A. R.</u>		
1	Fowler Bed		1	
2	Iron Bed with Backrest		15	
3	Bedside Locker		16	
4	S/S Bedside Stool		16	
5	Crib Attachement		8	
6	S/S I. V. Stand		5	
7	Bedside Screen 3 Fold		1	
8	Chair Trolley with Wheels		1	
9	Instrument Trolley with Bowl & Bucket		1	
10	Revolving Stool		1	
11	Stretcher on Trolley		1	
12	Mattress with Bedcovers		16	
13	Pillow with Pillow Covers		16	
14	Bedsheet		16	
15	Woolen Blankets		2	
16	Hot Water Bag		1	
17	Ice Bag		1	
18	S/S Bedpan		5	
19	S/S Kidney Tray Big		2	
20	S/S Sputum Cup		2	
21	S/S Urine Pots		5	

<u>II.</u>	<u>FURNITURE :</u>	<u>A. R.</u>		
1	Doctor's Table		1	
2	Doctor's Chair		1	
3	Nurse's Table		1	
4	Nurse's Chair		1	
5	Cupboard Medium		1	
6	Ceiling Fan		9	
7	Tubelight		10	
8	Pl. Dust Bin		2	

Date : 30/11/2023


(Dr. Mrs. C. S. Goriwale)
Principal
Dapoli Homoeopathic Medical College
Tal Dapoli, Dist. Ratnagiri

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

₹. 100

ONE
HUNDRED RUPEES

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

FU 553644

3 JUN 2013



सुनंदा अनंतराव कदम

सुनंदा अनंतराव कदम

स्टम्प वेंडर, दापोली

घरवाना नं. १/९१

कोषागार अधिकारी किंमत १००₹ रु. नव्वे तारीख

21 JUN 2013

दापोली अ. नं. ७५५० ठिकाण कॅम्प - दापोली

नाव :- चेतना सुनिस गोरिवले दापोली

सही :-

MEMORANDUM OF UNDERSTANDING

(Date - 21/06/2013)

1st Party - Dr. Mrs. Chetana Sunil Goriwale
Principal, Dapoli Homoeopathic Medical College &
Hospital, Dapoli.

2nd Party - Dr. Naresh Patwardhan, M. D.,
Patwardhan Hospital, Dapoli

Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

This Memorandum of Understanding is made between Ist party & IInd party on date 21/06/2013 regarding fulfilment of requirement published in Gazette Verification No. 67 dated 08/03/2013 about Homoeopathic Central Council Act, 1973 (Minimum standards of education) - Requirement of Homoeopathic College & Hospital.

As per subject sub regulation 2 of 3 for exposure of a students, in the clinical field and to understand the depth of Operative Surgery & Operative Gynaecology & Obstetrics as well as management of critical illness, the College shall have the Memorandum of Understanding with reputed nearby located Super Speciality Hospital (of Modern medicine) with all required facilities of Operation Theatre, Labour Room, Intensive Care Unit and other required facilities for the management of critical patients.


Considering above regulations Dr. Naresh Patwardhan, M. D., Patwardhan Hospital, Dapoli has given consent & permission for clinical exposure to the students of Dapoli Homoeopathic Medical College & Hospital, Dapoli, under the strict supervision of concern teaching faculty of the college.


The Memorandum of Understanding is done by mutual understanding of both parties.

Ist Party - Dr. Mrs. Chetana Sunil Goriwale,
Principal, Dapoli Homoeopathic Medical College & Hospital,
Dapoli.


Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.


IInd Party - Dr. Naresh Patwardhan, M. D.,
Patwardhan Hospital, Dapoli


Dr. Naresh K.P. Patwardhan
Patwardhan Hospital
Dapoli

Witness - 

(श्री. सुनिठ बा. गोरीवडे)
ता. दापोली. जि. रत्नागिरी.

Patwardhan Hospital
Dapoli Homoeopathic Medical College
Reg. No. 67
Ph. (02259) 262633, 2200410101


Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.



महाराष्ट्र MAHARASHTRA

2020

17 JUL 2022 XL 952563

कक्षा - ऑफिस/डेप्युटी	014513
१ मुद्रांक विक्री नोंदवही अनु. क्रमांक/दिनांक	अनु क्रमांक दिनांक
२ मुद्रांक विक्रीचे वेगळे नाव, रहिवासाचा पत्ता व सही	चेतना सुनिल गोखिले. जाळगांव > २२६०१९
वनाधारक मुद्रांक विक्रीचा सही व परवाना क्रमांक ससेच मुद्रांक विक्रीचे ठिकाण / पत्ता	<u>सुनिल</u> परवाना क्र ४/९९ ठिकाण घर नं. २१/३(२) पोस्टगल्ली दापोली ता दापोली जि. रातनागिरी
पन्ना कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी मुद्रांक खरेदी केल्यापासून ६ महिन्यात वापरणे बंधनकारक आहे	



उप कोषागार
अधिकारी
दापोली

MEMORANDUM OF UNDERSTANDING

(Date : 01/07/2022)



२२६०१९
Principal
Dapoli Homeopathic Medical
College & Hospital
Tal. Dapoli, Dist. Ratnagiri.

२२६०१९
Principal
Dr. Mrs. Chetana S. Goriwale
Dapoli Homeopathic Medical College
Tal Dapoli Dist. Ratnagiri.

115

1st Party : Dr. Mrs. Chetana Sunil Goriwale

Principal, Dapoli Homoeopathic Medical College & Hospital,
Dapoli


2nd Party : Dr. Chandrakant Jagannath Mokal

Chairman, Rajiv Gandhi Super Speciality Hospital, Dapoli.

This Memorandum of Understanding is made between 1st Party & 2nd Party on date 01/07/2022 regarding fulfilment of requirement published in Gazette Verification No 67 dated 08/03/2013 about Homoeopathic Central Council Act, 1973 (Minimum Standards of Education) Requirement of Homoeopathic College & Hospital.

As per subject Sub Regulation 2 of 3 for exposure of Students in the Clinical field and to understand the depth of Operative Surgery & Operative Gynaecology & Obstetrics as well as management of critical illness, the College shall have the Memorandum of Understanding with reputed nearby Located Super Speciality Hospital of Modern Medicine with all required facilities of Operation Theatre, Labour Room, Intensive Care Unit and Other Required facilities for the Management of Critical Patients.

Considering above regulation Dr. Chandrakant Jagannath Mokal, Chairman Rajiv Gandhi Super Speciality Hospital, Dapoli has given consent & permission for clinical exposure to the students of Dapoli Homoeopathic Medical College & Hospital, Dapoli under the strict supervision of concern teaching facility of the college.


Principal
Dapoli Homeopathic Medical
College & Hospital
Tal. Dapoli, Dist. Ratnagiri.


Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.





The Memorandum of Understanding is done by mutual understanding of both parties.

This Memorandum of Understanding will be in force from 01st July 2022 to 30th Jun 2032.



[Signature]

Principal
Dapoli Homeopathic Medical
College & Hospital
Tal. Dapoli, Dist. Ratnagiri.



Witness :

[Signature]
Sunil B. Goriwale
Talgaon, Dapoli

Dr. Mrs. Chetana Sunil Goriwale
Principal
Dapoli Homoeopathic Medical College
& Hospital, Dapoli



[Signature]
Atankar Merchande
Sondeghar, Dapoli

[Signature]



Dr. Chandrakant Jagannath Mokal
Chairman
Rajiv Gandhi Super Speciality Hospital,
Dapoli

BEFORE ME

[Signature]

SUSHANT P. BELOSE
B.A., LL.B.
Reg. No. 1154
NOTARY & ADVOCATE
Shop No. 4, Sushanta Apt
Dapoli, Dist. Ratnagiri.



Solemnly affirmed before me
by Mr./Mrs. Dr. Chandrakant J Mokal
who is identified to me by
Mr./Mrs. Sunil B. Goriwale,
to whom I know Personally *[Signature]*

Noted and Registered
at, Sr. No. 527/2022
11/07/2022

Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical Co
Tal. Dapoli, Dist. Ratnagiri.



चेतना सुनील गोंदवले
Chetana Sunil Goriwale



जन्म तिथि / DOB: 12/05/1973
लिंग / Gender



9742 2813 0718

आधार - आम आदमी का अधिकार



भारत सरकार
Ministry of India

पता: डॉ. महादुर्गा देव
चैतन्य नगर, जालगाव, दपोळी, रात्रागिरी
दपोळी, महाराष्ट्र, 415712

Address: Harsh, Mahadurga
Road, Chaitanya Nagar,
Jalgaon, Dapoli, Ratnagiri,
Dapoli, Maharashtra, 415712

9742 2813 0718



1800 300 1347



help@uidai.gov.in



www.uidai.gov.in



Chetana S. Goriwale

Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.




Download Date: 20/12/2018

चंद्रकांत जगन्नाथ मोकेल
 Chandrakant Jagannath Mokel
 जन्म तिथि/DOB: 07/10/1940
 पुरुष/ MALE

ISSUE DATE: 22/01/2018

8850 0486 5475
 VID : 9172 4180 6628 3669

मेरा आधार, मेरी पहचान

Handwritten signature






भारत सरकार
 Government of India

पता:
 चंद्रा, खोत वाडी, तालसुरे, रातनागरी,
 महाराष्ट्र - 415712

Address:
 Chandrama, Khot wadi, Talsure,
 Ratnagiri,
 Maharashtra - 415712



8850 0486 5475
 VID : 9172 4180 6628 3669

1947 | help@uidai.gov.in | www.uidai.gov.in

Handwritten signature


Dr. Mrs. Chetana S. Goriwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.



 Government of India

सुनील बजराम गोरवाल
 Sunil Balaram Gorwale



जन्म तिथि / DOB: 22/11/1965

पुरुष / Male



4314 8205 4125

आधार - आम आदमी का अधिकार





 Unique Identification Authority of India

पता: हर्ष, चैतन्य नगर
 महालक्ष्मी रोड, जालगाव, दपोली
 दपोली, राजगिरी, महाराष्ट्र, 415712

Address: Harsh, Chaitanya
 Nagar, Mahalaxmi Road,
 Jalgaon, Dapoli, Ratnagiri,
 Dapoli, Maharashtra, 415712

4314 8205 4125

 1947
 1800 300 1947

 help@uaid.gov.in

 www.uaid.gov.in


 Dr. Mrs. Chetana S. Gorwale
 Principal
 Dapoli Homoeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.



MAHARASHTRA

© 2015 ©

NS 685739


17 SEP 2016



भारत सरकार शासकीय कारण
मुद्रांक विकृत होण्याचावे नाव व पत्ता
मुद्रांक विक्री नोंद वही अनु
मुद्रांक विक्री होण्याची सही

प्रशासक राज्यपाल कार्यालय
मुद्रांक विक्री परवाना क्र. १/८
पहाळगावी कॉम्प्लेक्स,
रंगमिती माळ डापोली

डॉ. चेतना सुजित गोरवाल
रंगमिती माळ डापोली



MEMORANDUM OF UNDERSTANDING

(Date- 28/09/2016)

(Handwritten signature)

(Handwritten signature)

(Handwritten signature)
Dr. Mrs. Ghetana S. Gorwal
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

1st Party - Dr. Mrs. Chetana Sunil Goriwale,
Principal, Dapoli Homoeopathic Medical College &
Hospital, Dapoli.

2nd Party - Dr. Mr. Anil Pandurang Hon,
Dapoli X-ray & Sonography Centre, Dapoli.

This Memorandum of Understanding is made between 1st Party & 2nd Party on date 28/09/2016 regarding fulfillment of requirement published in Gazette Verification No.67 dated 08/03/2016 about Homoeopathic Central Council Act, 1973 (Minimum standards of education)- Requirement of Homoeopathic College & Hospital.

As per subject, sub regulation 2 of 3 for exposure of students, in the clinical field and to understand the depth of Operative Surgery & Operative Gynaecology & Obstetrics as well as management of critical illness, the College shall have the Memorandum of Understanding with reputed nearby Located Super Specialty Hospital (of Modern medicine) with all required facilities of Operation Theatre, Labour Room, Intensive Care Unit and other required facilities for the management of critical patients.

Considering the above regulation Dr. Mr. Anil Pandurang Hon, Dapoli X-ray & Sonography Centre, Dapoli, has given consent to conduct ultrasonography & radiological requirements along with reporting of the patients admitted in the attached Homoeopathic Hospital of Dapoli Homoeopathic Medical College & Hospital. I give consent & permission for clinical exposure to the students of Dapoli Homoeopathic Medical College & Hospital, Dapoli, to attend in my sonography centre for




Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

clinical exposure under the strict supervision of concern teaching faculty of my college.

The Memorandum of Understanding is done by mutual understanding of both parties.

This MOU will be in force from 28th Sep 2016 to 27th Sept. 2026



Witness:

[Handwritten signature]

श्री सुनिल बा. गोरिवले
हर्ष. दापोली



Dr. Mrs. Chetana Sunil Goriwale
Principal, Dapoli Homeopathic
Medical College & Hospital,

Dapoli

First Party



BEFORE ME

[Handwritten signature]

SUSHANT P. BELOSE

Bal., LL.B.

Reg. No. 1154

NOTARY & ADVOCATE

Shop No. 4, Sushela An

Dapoli, Dist. Ratnagiri.

[Handwritten signature]



Dr. Mr. Anil Pandurang Hon,

Dapoli X-ray & Sonography Centre,

Dapoli

Second Party

Solemnly affirmed before me,
by Mr./Mrs. Dr. Anil P. Hon.
Who is identified to me by
Mr./Mrs. Sunil B. Goriwale.
to whom I know Personally

Noted and Registered
at Sr.No. 892/2016

28/9/2016

[Handwritten signature]

Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.



Maharashtra Bio Hygienic Management

Common Bio-Medical Waste Treatment, Storage & Disposal Facility

Lote Parshuram MIDC, Tal. Khed, Dist. Ratnagiri, Maharashtra - 415722

Helpline No. : +91 8698932676

E-mail : mbhmlote@gmail.com



Unique Registration No.: DAPOL415712MHBH01046



Offline QR

Registration Certificate



Online QR

Outward No. : MBHM/Cer/2023-24/1109

Date : 27-May-2023

This is to certify that DAPOLI HOMEOPATHIC MEDICAL COLLEGE AND HOSPITAL, Aapti Talsure, Tal. DAPOLI, Dist. RATNAGIRI is registered with Maharashtra Bio Hygienic Management, Lote Parshuram MIDC Tal. Khed, Dist. Ratnagiri for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- 1 Authorized Person of HCE (Name and Designation) : Chetana Sunil Goriwale
- 2 Bombay Nursing Home Act Registration Details
 - a. BNH Registration No : 10030
 - b. BNH Issue Date : 30-Nov-2022
 - c. Total Number of Beds : 25
 - d. BNH validity (Form 'C') : 31-Mar-2025
- 3 Common Treatment Facility Registration Details
 - a. Date of Registration : 01-Apr-2017
 - b. No. of Beds Registered : 25
 - c. Issue Date : 27-May-2023
 - d. Registration Validity : 01-Apr-2023 To 31-Mar-2024
- 4 Renewal of CTF Membership (if applicable)
 - a. Renewal Date : 31-Mar-2024
 - b. No. of Beds : 25
- 5 MPCB Consents (Establish/ 1st Operator/Renewal Details)
 - a. Consent / CCA Number : CO/2212002138
 - b. Issue Date : 28-Dec-2022
 - c. Validity upto : 31-Oct-2026



Maharashtra Bio Hygienic Management

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.


Dr. Mrs. Chetana S. Goriwal
Principal
Dapoli Homeopathic Medical College
Dapoli, Dist. Ratnagiri.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02355 -261570
Fax: 02355-261570/ 279071
Website: <http://mpcb.gov.in>
Email: srochiplun@mpcb.gov.in



Parkar Complex , 224, 2nd
floor, Behind Chiplun
Nagar Parishad Office,
Taluka-Chiplun, Dist.
Ratnagiri -415605

ORANGE/S.S.I
No:- Format1.0/SRO/UAN
No.0000151704/CO/2212002138

Date: 28/12/2022

To,
Dapoli Homeopathic Medical College and Hospital,
At-Jalgaon, Tal Dapoli, Dist Ratnagiri.



Your Service is Our Duty

Sub: First Consent to Operate

Ref: Your application for Combine Consent and Bio-Medical Authorization dated 03/11/2022

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The Combined Consent to Operate and BMW authorization is granted upto: 31.10.2026**
- The capital investment of the project is Rs.0.25 Crs. (As per C.A Certificate submitted by industry).**
- The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	25	Nos
b)	Total Plot Area	50000.00	Sq.Mtrs
c)	Total Built up Area	11550.00	Sq.Mtrs

- Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	0	As per Schedule -I	--
2.	Domestic effluent	1	As per Schedule - I	Into Municipal Sewer line

- Conditions under the Air (P& CP) Act, 1981 for air emission:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	NA	0	As per Schedule -II

- Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Handwritten signature and date: 28/12/22

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	NA	NA

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow colored non-chlorinated plastic bags or containers	
		b) Animal Anatomical Waste	1.00		
		c) Soiled Waste	100.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	1.00		
		f) Chemical Liquid Waste	1.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	1.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	1.00		
2	Red	Contaminated waste (Recyclable)	5.00	Red colored non chlorinated plastic bags or containers	-
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container	-
4	Blue	a) Glassware	5.00	Puncture proof & leak proof boxes or containers with blue colored marking.	
		b) Metallic body implants	1.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization


Dr. Mrs. Chetana S. Gortwale
 Principal
 Dapoli Homeopathic Medical College
 Tal. Dapoli, Dist. Ratnagiri.

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorized user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.



[Handwritten Signature]

fd136fea
9cbbf433
d447d958
33ff4a4e
8a0a779d
754af1d3
fc033bc3
08c5c282

Signed by: Shri. Sagar Awasthi
Sub-Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
srochiplus.mpcb.gov.in
2022-12-28 11:17:42 IST

[Handwritten Signature]

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	4500.00	TXN2211000366	03/11/2022	Online Payment

0

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai



Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) Generation - Nil
B) Treatment - NA
C) Disposal - NA
2. A) As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 1 CMD of sewage.
B) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



Dr. Mrs. Chetana S. Goriwa
Principal
Dapoli Homeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
0	0	0	0	0	0 -NA-	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------


3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.


Dr. Mrs. Chetana S. Goriwale
Principal
Dapoli Homoeopathic Medical College
Tal. Dapoli, Dist. Ratnagiri.

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.